


Service Manual

1110

74CD32 / 01B/02B/05B/07B
74CD42 / 01B/02B/05B/07B
74CD52 / 01B/02B/05B/07B
Compact disc player



CONTENTS

SECTION	PAGE
1 TECHNICAL SPECIFICATIONS	1
2 CONTROLS AND CONNECTIONS	2
3 FAULT FINDING GUIDE	3
4 SERVICING HINTS	7
5 EXPLODED VIEW (MECHANICAL PARTS LIST)	10
6 BLOCK DIAGRAM	13
7 CIRCUIT DIAGRAM AND PARTS LOCATION	15
8 ELECTRICAL PARTS LIST	34

marantz®

TECHNICAL SPECIFICATIONS : CD-32, CD-42, CD-52

General

- 1. Mains voltage : [/01B] 110-120V, 220-240V [02B] 230V [05B, 07B] 240V
- 2. Mains frequency : 50Hz
- 3. Mains voltage selection : By soldering
- 4. Power consumption mains, operated : 15W

External RC-5 connection

- Specification : V-in Low : from -2.0V to +1.6V
V-in High : from +3V to +7.5V
R-in : from 47 kOhm to 68 kOhm

Line output

- 1. Number of channels : 2
- 2. Output voltage : 2 Vrms +/- 2dB
- 3. Unbalance left-right : max. +/- 0.25dB
- 4. Output resistance : 200 Ohm
- 5. Amplitude linearity : max. +/- 0.2dB from 20 Hz to 20 kHz
typ. +/- 0.03dB from 20 Hz to 20 kHz
- 6. Phase non-linearity : max. +/- 1.0° from 20 Hz to 20 kHz
typ. +/- 0.5° from 20 Hz to 20 kHz
- 7. Signal to noise ratio : min. 100dB from 20 Hz to 20 kHz
typ. 105 dB
- 8. Dynamic range (-60dB) : min. 90dB from 20 Hz to 20 kHz (max. 0.0040 %)
typ. 96 dB (typ. 0.0025 %)
- 9. Total harmonic distortion + noise : min. 88dB from 20 Hz to 20 kHz (max. 0.0064 %)
typ. 92 dB (typ. 0.0032 %)
- 10. Intermodulation distortion : min. 88dB from 20 Hz to 20 kHz (max. 0.0064 %)
typ. 92 dB (typ. 0.0032 %)
- 11. Outband attenuation : min. 60dB above 24.8 kHz
- 12. Channel separation : min. 86dB from 20 Hz to 20 kHz
typ. 90 dB
- 13. Muting during random acces : min. 90dB from 20 Hz to 20 kHz
- 14. Automatic switched de-emphasis with time constant 15/50 µs

Variable headphone

- 1. Max. output voltage : 7.4 Vrms
- 2. Load impedance range : 30-600 Ω
- 3. Output impedance : 150 Ω
- 4. Max. output power : 50 mW into 32 Ω
90 mW into 150 Ω
50 mW into 600 Ω
- 5. Signal to noise ratio : min. 90dB
- 6. Dynamic range : min. 90dB (20 Hz to 20 kHz)
- 7. THD and noise : min. 80dB (20 Hz to 20 kHz)
- 8. Intermodulation distortion : min. 80dB (20 Hz to 20 kHz)
- 9. Channel separation : min. 70dB (20 Hz to 20 kHz)


Dimensions and weight

- 1. Apparatus tray closed : 420 (W) x 100 (H) x 284 (D), W/O Legs.
- 2. Apparatus tray open : 420 (W) x 100 (H) x 429 (D)
- 3. Weight without packing : 4.4 Kg

Laser diode

- 1. Wavelength : 780nm +/- 5nm
- 2. Output power on laserdiode : typ. 3 mW
- 3. Output power after objective lens : 100 µW

CONTROLS AND CONNECTIONS



Front of player

1	POWER	1010	13	RE CALL	1046
2	OPEN	1027	14	PHONES	1651
3	'1 ~ 0' digit keys	1020, 1051, 1021, 1028, 1034, 1030, 1050, 1029, 1031, 1033	15	PHONE LEVEL	3691
4	MEMO	1032	16	PLAY	1038
5	CANCEL	1047	17	STOP	1037
6	REPEAT	1035	18	PAUSE	1039
7	D MODE	1052	19	FTS 1, 2	1026, 1023
8	◀ and ▶ (Previous and Next)	1044, 1045	20	Display	1061
9	◀◀ and ▶▶ (Search)	1036, 1040	21	REMOTE SENSOR	1060
10	DIG OUT	1048	Back of player		
11	EDIT	1049	22	LINE OUT	1008
12	P MODE	1025	23	DIGITAL OUT	1008
			24	RC-5	1008
			25	Mains socket	1009

DIFFERENCE OF CD52/42/32

	ITEM & CONTENT	CD52	CD42	CD32		ITEM & CONTENT	CD52	CD42	CD32
1	1020 KEY 1	X	—	—	12	1034 KEY 5	X	—	—
2	1021 KEY 3	X	—	—	13	1035 REPEAT	X	—	—
3	1023 FTS 2	X	X	—	14	1046 RECALL	X	—	—
4	1025 P.MODE	X	—	—	15	1047 CANCEL	X	—	—
5	1026 FTS 1	X	X	—	16	1048 DIG.OUT	X	—	—
6	1028 KEY 4	X	—	—	17	1049 EDIT	X	—	—
7	1029 KEY 8	X	—	—	18	1050 KEY 7	X	—	—
8	1030 KEY 6	X	—	—	19	1051 KEY 2	X	—	—
9	1031 KEY 9	X	—	—	20	1052 D.MODE	X	—	—
10	1032 MEMO	X	—	—	21	1060 IR SENSOR	X	X	—
11	1033 KEY 0	X	—	—					


FAULTFINDING GUIDE

TROUBLE SHOOTING (FAULT FINDING TREE)

START-UP PROCEDURE

Follow the path of the faultfinding tree beginning at the top left. Perform the actions you come across in the various blocks. Look at the various side branches to find out if the information you see there applies to your problem. If, for instance, you find the indication **Display**, this means that no picture appears on the display.

If you establish this fault, follow the branch and perform the recommended actions. Check the signals mentioned. In a number of branches further reference is made to measurements you could carry out. These measurements are explained in several tables further on in this manual.



B-3 CHECK OF THE PHOTODIODES

Step	Signal	Mode					Remarks
1	D2 D1 D3 D4	power on		-	-	signal $4 \approx 6 \approx 7 \approx 8$	Signal depends on Distance lens \leftrightarrow IR LED of remote control

B-4 CHECK OF LASER SUPPLY

The laser, the lasersupply plus the monitor diode form a feedback system.

A defect in the lasersupply may result in the destruction of the laser. If, in that case, the laser is replaced, (= complete C.D.M.-unit) the new laser will also become defective. However, it is impossible to check and repair a feedback system if a link is missing. For this reason the laser supply can be checked with the replacement circuit for laser assembly.

Step	Signal	Mode			Remarks
1	LO	serv. pos. 2		$1.8 < V < 2.3$	REPLACEMENT CIRCUIT FOR LASER ASSEMBLY CONNECT DIRECTLY TO PANEL The feedback system sees to it that the same amount of current flows through the LED. When SK is open and when SK is closed the LED emits little light. PRS 06615 102/9020
	LM	SK		$170 < mV < 220$	
2	LO	serv. pos. 2		$1.8 < V < 2.3$	
	LM	SK		$170 < mV < 220$	
3	LO	Power on		$0V \pm 0.2V$	No light

After opening SK the led will emit a little more light for a short moment.


B-4 LASER CURRENT ADJUSTMENT

STEP	SIGNAL	MODE					REMARKS
1	--	POWER OFF	--	--	--	--	CHECK IF FLEX-FOIL IS PROPERLY CONNECTED
2	--	POWER OFF		R3519	$1k\Omega \begin{matrix} +10\% \\ -0 \end{matrix}$	--	PRE ADJUSTMENT OHMIC VALUE
3	--	POWER OFF	--	R3553	--	--	SET TO MID-POSITION
4	LASER CURRENT \cong VOLTAGE ACROSS R3501	TEST DISC 5A PLAY		--	$\geq 15mV$	--	IF $< 15mV$ THEN GO TO STEP 3 AND SET R3519 TO 1/4 OR 3/4. TRY AGAIN
5	LASER CURRENT \cong VOLTAGE ACROSS R3501	TEST DISC 5A PLAY		R3519	50mV	--	--
6	FE-LAG	TEST DISC 5A TRACK 1 PLAY		R3533	400mV	--	FINE ADJUSTMENT


B-5 ADJUSTMENT OF FOCUS-OFFSET

Step	Signal	Mode					Remarks
1	-	Power on no disc	-	R3553	-	-	adjust for optical mid-position of the focus motor
2	FF LAG	Play Test disc 5	27	R3553	$400mV \pm$	-	fine adjustment

START UP PROCEDURE



SPECIFICATION MEASUREMENT



SYSTEM ERRORS

- ERROR 02 P122 Focus error: no track loss
- ERROR 03 P122 Radial start error: min. exentricity point not found
- ERROR 06 P122 TL error during jump: no positive TL or RP edge during 60 x 8 ms
- ERROR 07 P122 Subcode error: no valid subcode within 3 sec.
- ERROR 08 P122 TOC error: out of lead-in while reading TOC
- ERROR 09 P122 EEPROM cell error: EEPROM cell broken

OPERATING ERRORS

- ERROR 30 P122 NEXT at a boarder when repeat is off
- ERROR 31 P122 PREVIOUS at a boarder when repeat is off
- ERROR 33 P122 Selected index does not exist
- ERROR 34 P122 No program
- ERROR 35 P122 Program memory full
- ERROR 36 P122 Programed track is non existing on this CD
- ERROR 37 P122 Selected track is non existing on this CD
- ERROR 39 P122 STORE or CLEAR pressed while in play program
- ERROR 42 P122 Selected track is not a program block
- ERROR 43 P122 FTS store error: memory full
- ERROR 44 P122 FTS store error: no program
- ERROR 46 P122 FTS play error: no FTS program in memory
- ERROR 47 P122 FTS selection error: upper bound of FTS memory (next)
- ERROR 49 P122 FTS selection error: selection request while storing (next/previous)
- ERROR 51 P122 FTS selection error: selection request while storing (review)
- ERROR 52 P122 FTS selection clear error: clear request while storing
- ERROR 54 P122 FTS store error: no record id (TOC) available
- ERROR 56 P122 AB key pressed when not in play mode
- ERROR 57 P122 Store pressed while there is no track selected
- ERROR 60 P122 Fast forward/reverse bound
- ERROR 63 P122 No track possible to play in edit mode
- ERROR 74 P122 Relative time not found
- ERROR 75 P122 Search time out error

SERVICING HINTS

In the set chip components have been applied.
For disassembly and assembly of chip components see the figure below.

The disc should always rest properly on the turntable.
To achieve this a disc hold-down has been mounted in a bracket of the tray mechanism.

If the tray mechanism has to be disassembled for servicing, a separate disc hold-down should be used.

(See drawing "Service disc hold-down")

The set can function normally then.

Code number of the disc hold-down is 4822 462 50383.


When the tray mechanism has been disassembled, the tray switch must be activated immediately after pressing the play button in order to ensure normal operation.

To avoid electric shock during servicing, it is recommended to mount an insulation cover over the mains leads on the servo & decoder panel. See drawing MDA 02548. The cover can be ordered under codenumber 4822 444 60655.

SERVICE TOOLS

Audio signals disc	4822 397 30184
Disc without errors (test disc 5) + disc with DO errors, black spots and fingerprints (test disc 5A)	4822 397 30096
Disc 65 min 1 kHz without pause	4822 397 30155
Max. diameter disc(58.0 mm)	4822 397 60141
Torx screwdrivers	
Set (straight)	4822 395 50145
Set (square)	4822 395 50132
13th order filter	4822 395 30204
Service cable (4p)	4822 321 21284
Service flexfoil (14p)	4822 322 40066
Service connector (14p)	4822 267 50676
Green LED CQY G11	5322 130 32182
Insulation cover	4822 444 60655

SERVICE DISC-HOLDDOWN





42 565 A12

Compose a service Disc hold-down in the following way

- Cut in the most inner ring of a disc hold-down (4822 462 50383) with small and sharp nippers, see fig. above.
- Enlarge the diameter of the innermost ring slightly with the hind part of a pencil or ballpoint, so that it jams onto the turntable with sufficient force.
- If the jamming force decreases after certain time of use, the diameter has to be enlarged with a pencil or ballpoint again.

SERVICE FOIL FOR CDM



27 012C12

GB WARNING

All ICs and many other semi-conductors are susceptible to electrostatic discharges (ESD). Careless handling during repair can reduce life drastically.

When repairing, make sure that you are connected with the same potential as the mass of the set via a wrist wrap with resistance. Keep components and tools also at this potential.

F ATTENTION

Tous les IC et beaucoup d'autres semi-conducteurs sont sensibles aux décharges statiques (ESD). Leur longévité pourrait être considérablement écourtée par le fait qu'aucune précaution n'est prise à leur manipulation. Lors de réparations, s'assurer de bien être relié au même potentiel que la masse de l'appareil et enfiler le bracelet muni d'une résistance de sécurité. Veiller à ce que les composants ainsi que les

ESD



NL WAARSCHUWING

Alle IC's en vele andere halfgeleiders zijn gevoelig voor electrostatische ontladingen (ESD). Onzorgvuldig behandelen tijdens reparatie kan de levensduur drastisch doen verminderen. Zorg ervoor dat u tijdens reparatie via een polsband met weerstand verbonden bent met hetzelfde potentiaal als de massa van het apparaat. Houd componenten en hulpmiddelen ook op ditzelfde potentiaal.

I AVVERTIMENTO


Tutti IC e parecchi semi-conduttori sono sensibili alle scariche statiche (ESD). La loro longevità potrebbe essere fortemente ridotta in caso di non osservazione della più grande cauzione alla loro manipolazione. Durante le riparazioni occorre quindi essere collegato allo stesso potenziale che quello della massa dell'apparecchio tramite un braccialetto a resistenza. Assicurarsi che i componenti e anche gli utensili con quali si lavora siano anche a questo

D WARNUNG


Alle ICs und viele andere Halbleiter sind empfindlich gegen elektrostatische Entladungen (ESD). Unsorgfältige Behandlung bei der Reparatur kann die Lebensdauer drastisch vermindern. Sorgen sie dafür, dass Sie im Reparaturfall über ein Pulsarmband mit Widerstand mit dem Massepotential des Gerätes verbunden sind. halten Sie Bauteile und Hilfsmittel ebenfalls auf diesem Potential.

CABINET DISASSEMBLY HINTS

A




B




MDA.02137
916/T19

DIISASSEMBLY OF LOADING AND CDM




PLAY SERVICE POSITION




MECHANICAL PARTS LIST

1	4822 444 40476	Front for CD52
1	4822 444 40472	Front for CD42
1	4822 444 40477	Front for CD32
2	4822 459 10747	Wordmark
3	4822 450 61767	Window for CD52, CD42
3	4822 450 61785	Window for CD32
4	4822 410 61465	Button, push for CD52
4	4822 410 61459	Button, push for CD42
4	4822 410 61517	Button, push for CD32
5	4822 410 61457	Button, push
6	4822 410 61466	Set of knobs for CD52
8	4822 410 61467	Button, Head Phone for CD52
32	4822 402 50276	Bracket, Switch
33	4822 492 52123	Spring, Compres.
55	4822 361 21452	Motor
56	4822 528 81447	Pulley
57	4822 528 81329	Pulley
58	4822 358 10115	Belt, Driving
65	4822 492 51902	Spring, Compres.
69	4822 466 61587	Foam
73	4822 402 61253	Guide
75	4822 402 61252	Guide
77	4822 492 52094	Spring, Compres.
85	4822 691 30209	Mech. Unit CDM-4
86	4822 402 61196	Support
95	4822 466 93011	Plate
96	4822 528 90638	Roller
98	4822 325 50177	Grommet, Cable
110	4822 444 50603	Tray
111	4822 532 51756	Grommet
113	4822 444 60568	Lid
114	4822 528 90639	Roller
116	4822 402 61207	Holder
118	4822 530 80503	Ring, Pressure
120	4822 466 92257	Plate
121	4822 520 40177	Ball
125	4822 492 32883	Spring, Tension
130	4822 410 61458	Button, Push
131	4822 535 93251	Rod
141	4822 462 41859	Foot
167	4822 502 30677	Screw, Selftap
170	4822 454 30456	Plate, Ornament
171	4822 459 11048	Plate, Name
172	4822 459 11047	Plate, Name
185	4822 444 60766	Cover
186	4822 502 30678	Screw, Selftap
195	4822 466 40577	Felt
301	4822 321 10249	AC-Cord for /02B
301	4822 321 10719	AC-Cord for /05B
302	4822 321 22832	Cable, Connect
309	4822 736 21196	User's Manual for CD52
309	4822 736 21187	User's Manual for CD42, CD32
352	4822 218 10419	Remote Control for CD52, CD42
455	4822 600 70643	Box for CD52
455	4822 600 70641	Box for CD42
455	4822 600 70645	Box for CD32
460	4822 600 10294	Cushion
475	4822 535 92907	Key

EXPLODED VIEW



BLOCK DIAGRAM




AGC-----AUTOMATIC GAIN CONTROL
 B0-B3-----CONTROL BITS FOR RADIAL CIRCUIT
 BEQ-----EQUALIZER REFERENCE CURRENT INPUT
 BGC-----DC AND LF GAIN CONTROL REFERENCE INPUT
 COSC1-----CAPACITOR WOBBLE OSCILLATOR
 COSC2-----CAPACITOR WOBBLE OSCILLATOR
 DEC-----DECOUPLING INPUT OF INKRUAT BYPASS
 DET-----HF DETECTOR VOLTAGE INPUT
 DIV4-----DIVIDE BY 4 INPUT
 DODS-----DROP OUT DETECTOR SUPPRESSION
 D1-4-----PHOTODIODE CURRENTS
 FE-----FOCUS ERROR SIGNAL
 FE LAG-----FOCUS ERROR SIGNAL FOR LAG NETWORK
 HF-----HF OUTPUT FOR DEMOD
 HFD-----HF DETECTOR OUTPUT FOR DEMOD
 HF IN-----HF CURRENT INPUT TO HF AMPLIFIRE
 HF OUT-----HF AMPLIFIRE AND EQUALIZER VOLTAGE OUTPUT

LM-----LASER MONITOR DIODE INPUT
 LO-----LASER AMPLIFIRE CURRENT OUTPUT
 MC-----MONITOR CONTROL SIGNAL
 OFFSET IN-----OFFSET IN-OFFSET CONTROL INPUT
 OFFSET OUT-----OFFSET OUT-OFFSET CONTROL OUTPUT
 PLLH-----PLL ON HOLD OUTPUT
 RADOUT-----OUTPUT OF RE2-RE1 INPUT
 RE-----RADIAL ERROR SIGNAL
 RE1-----RADIAL ERROR SIGNAL 1
 RE2-----RADIAL ERROR SIGNAL 2
 RE DIG-----RADIAL ERROR DIGITAL
 RE LAG-----RADIAL ERROR SIGNAL FOR LAG NETWORK
 SC-----STARTING UP CAPACITOR INPUT
 SI/RD-----ON/OFF CONTROL FOR LASER SUPPLY AND FOCUS
 CIRCUIT.READY SIGNAL. STARTING UP


TL-----TRACK LOSS OUTPUT SIGNAL
 TTM+ ----CONTROL VOLTAGE FOR TURNABLE MOTOR
 TTM- ----CONTROL VOLTAGE FOR TURNABLE MOTOR
 VEXT- ---SUPPLY CONNECTION
 VEXT+ ---SUPPLY CONNECTION
 TCMP-----TURNABLE CONTROL MOTOR PULSE
 BWS-----BAND WIDTH SWITCH 8 OR 12CM DISC
 ANI-----DIGITAL DATA INFORMATION ON DISC SIGNAL
 AM-----ADDITIONAL MUTE
 ATSB -----ATTENUATION OF AUDIO LEVEL IN SEARCH POSITION
 CD ROM-----DIGITAL DATA INFORMATION ON DISC SIGNAL
 SWITCH
 CEFM-----CLOCK EIGHT TO FOURTEEN MODULATOR
 CL-----CLOCK SIGNAL DECODER TO FILTER
 BCK-----CLOCK SIGNAL FILTER TO DAC
 CREF-----REFERENCE CURRENT
 CRT-----COUNTER RESET INHIBIT
 IDAC-----ANTI SKATING CONTROL


DA-----DATA SIGNAL DECODER TO FILTER
 DEEM-----DEEMPHASIS
 DOBM-----DIGITAL OUT SIGNAL
 DOEM-----DIGITAL OUTPUTENABLE
 EF-----ERROR FLAG DECODER TO FILTER
 MUTE -----MUTE SIGNAL
 MUSB-----SOFT MUTE SIGNAL
 PD/OC-----PHASE DETECTOR-OSCILLATOR CONTROL
 QCL-----O-CHANNEL CLOCK SIGNAL
 QDA-----O-CHANNEL DATA SIGNAL
 QRA-----O-CHANNEL REQUEST AKNOWLEDGE
 SC-----SUBCODE CLOCK DECODER TO FILTER
 SD-----SUBCODE DATA DECODER TO FILTER
 SWAB/SSM-----SUBCODE WORD/START-STOP MOTOR SIGNA
 WS-----WORD SELECT DECODER TO FILTER
 TRY-M ---TRAY MOTOR CONTROL
 WCK-----WORD SELECT FILTER TO DAC
 XIN-----OSCILLATOR SIGNAL IN
 XSYS-----OSCILLATOR SIGNAL OUT

POWER SUPPLY CIRCUIT DIAGRAM





DISPLAY CIRCUIT DIAGRAM






SERVO CIRCUIT DIAGRAM




SERVO & DECODER PANEL SOLDER SIDE

290 B1	1503 C5	2511 C1	2526 D1	2545 C6	2608 D7	2624 C9	2639 B8	2665 A9	2680 A6	2695 A9	3513 C1	3530 D1	3546 E5	3561 D5	3580 D5	3595 D5	3610 D6	3625 B9	3643 B8	3668 A8	3695 E5	6508 E1	6525 B4	6606 D9	6636 B4	8003 C5	9115 C2	9130 B3	9146 D4	9163 C6	9178 D7	9194 E8	9209 D8
291 A5	1510 B1	2512 C1	2527 D1	2546 E5	2609 D7	2625 B7	2640 B8	2666 A7	2681 A6	2696 A9	3514 C1	3531 D1	3547 E5	3562 C2	3581 D5	3596 B6	3611 C7	3626 B7	3644 B7	3669 A7	3696 A4	6509 E5	6526 B4	6608 C8	6637 B4	8004 C5	9116 D2	9131 B3	9147 E5	9164 D6	9179 D7	9195 E8	9210 C8
292 A5	1511 A5	2513 C1	2528 C0	2547 B5	2610 C9	2626 C9	2641 B8	2667 A7	2682 A6	2697 C5	3515 C1	3532 D2	3548 D6	3563 C5	3582 D5	3597 B4	3612 C7	3627 B8	3645 C7	3670 D9	3800 B6	6510 C6	6527 B5	6611 B8	6638 B4	8005 C5	9117 D2	9132 D3	9148 D4	9165 D6	9180 D7	9196 E8	9211 B8
1000 D8	1512 A5	2514 C1	2530 D0	2548 B5	2611 C9	2627 B7	2642 B9	2668 A7	2683 B5	2698 C5	3516 C2	3533 D2	3549 D6	3564 C6	3583 D5	3598 B5	3613 C9	3628 B8	3646 C9	3671 D8	3801 B7	6511 C6	6528 B5	6612 B7	6639 B3	8006 C5	9118 D2	9133 E4	9149 B9	9166 C8	9181 D7	9197 D8	9212 B8
1003 C6	2500 B0	2515 C3	2531 C1	2549 B4	2612 B6	2628 C9	2643 B7	2669 A8	2684 B5	2699 A8	3517 C4	3534 D2	3550 D6	3565 C6	3584 D5	3599 B6	3614 C7	3629 B8	3647 D7	3673 D8	3802 B7	6512 C6	6529 B6	6613 D8	6640 B6	8007 C5	9119 D2	9134 B3	9151 D5	9167 A6	9182 D7	9198 E8	9213 B8
1004 A9	2501 B3	2516 C2	2532 C5	2551 E5	2614 C7	2629 B8	2645 B8	2670 A8	2685 A7	2695 A8	3518 C0	3535 D2	3551 D6	3566 C6	3585 E5	3590 B4	3615 C9	3630 B7	3649 B8	3674 D8	3803 B2	6513 C6	6530 B6	6614 A9	6641 B4	8008 C5	9120 D2	9135 C4	9152 B5	9168 B8	9183 C7	9199 A8	9214 D9
1005 C5	2502 B3	2517 C2	2533 D5	2552 E5	2615 C7	2630 B9	2646 B7	2671 A8	2686 B7	2696 A8	3519 C0	3536 D2	3552 D6	3567 C6	3586 E4	3591 B4	3616 C7	3631 B7	3650 B7	3675 B3	3804 B2	6514 C6	6531 B6	6615 A9	6642 C5	8009 C5	9121 D2	9136 A5	9153 B5	9169 B8	9184 C7	9200 A8	9215 D9
1006 D0	2503 D3	2518 C2	2534 B6	2553 C5	2616 C7	2631 B8	2647 A8	2672 D9	2687 B3	2697 C5	3520 D1	3537 D1	3553 D6	3568 C6	3587 E4	3592 B4	3617 C9	3632 B7	3651 C7	3676 C4	3805 B2	6515 D4	6532 C6	6616 A9	6643 A5	8010 C5	9122 D2	9137 A4	9154 B5	9170 B8	9185 C7	9201 B8	9216 D9
1007 E3	2504 D3	2519 D2	2535 B9	2554 E5	2617 C7	2632 B8	2648 A7	2673 D9	2688 B5	2698 A8	3521 D0	3538 D0	3554 D6	3569 C6	3588 E4	3593 B4	3618 C7	3633 B7	3652 C7	3677 C4	3806 B2	6516 E4	6533 D6	6617 A9	6644 A6	8011 C5	9123 D2	9138 D4	9155 D6	9171 E8	9186 C7	9202 B8	9217 D9
1008 A8	2505 B3	2520 C0	2536 B9	2555 C5	2618 C9	2633 B8	2649 A7	2674 A8	2689 B5	2699 A8	3522 D0	3539 D0	3555 D6	3570 D6	3589 E4	3594 B4	3619 C9	3634 B7	3653 C7	3678 C4	3807 B2	6517 E4	6534 D9	6618 A8	6645 A6	8012 C5	9124 C2	9139 D4	9156 A7	9172 C7	9187 C7	9203 B8	9218 C9
1009 A0	2506 D3	2521 D1	2537 B9	2556 C5	2619 C9	2634 B8	2650 A7	2675 A8	2690 B5	2699 A8	3523 E1	3540 C0	3556 B6	3571 D6	3590 D5	3595 B4	3620 B7	3635 B7	3654 C7	3679 C4	3808 B2	6518 E4	6535 D9	6619 A9	6646 A6	8013 C5	9125 D2	9140 C4	9157 D5	9173 D6	9188 D7	9204 B8	9219 A1
1010 B0	2507 D3	2522 D0	2538 B9	2557 C5	2620 C9	2635 B8	2651 A7	2676 A8	2691 B5	2699 A8	3524 E1	3541 C5	3557 C6	3572 D6	3591 D5	3596 B4	3621 B7	3636 B7	3655 C7	3680 D8	3809 B2	6519 E4	6536 D9	6620 A9	6647 A6	8014 C5	9126 C2	9141 A4	9158 D5	9174 D6	9189 D7	9205 B8	9220 A1
1011 C4	2508 D3	2523 D0	2539 B9	2558 C5	2621 C9	2636 B8	2652 A7	2677 A8	2692 B5	2699 A8	3525 D1	3542 C6	3558 C6	3573 D6	3592 D5	3597 B4	3622 B7	3637 D7	3656 C7	3681 D8	3810 B2	6520 E4	6537 D9	6621 A9	6648 A6	8015 C5	9127 C2	9142 B5	9159 D5	9175 D6	9190 D7	9206 B8	9221 C4
1012 A1	2509 D3	2524 D0	2540 B9	2559 C5	2622 C9	2637 B8	2653 A7	2678 A8	2693 B5	2699 A8	3526 D1	3543 C6	3559 C6	3574 D6	3593 D5	3598 B4	3623 B7	3638 D7	3657 C7	3682 D8	3811 B2	6521 E4	6538 D9	6622 A9	6649 A4	8016 C5	9128 C2	9143 B4	9161 D5	9176 D6	9191 D7	9207 B8	9222 B4
1501 C7	2510 C0	2525 E0	2541 B6	2560 E7	2623 B7	2638 B8	2660 B8	2679 A4	2694 D7	2699 A8	3527 D0	3544 C6	3560 C5	3575 E5	3594 E4	3599 D7	3624 B7	3639 D7	3658 C7	3683 D8	3812 B2	6522 B4	6539 D9	6623 A9	6650 C4	8017 C5	9129 C4	9144 C5	9162 A6	9177 D7	9193 C8	9208 B8	9223 A1





SERVO & DECODER PANEL COMPONENT SIDE

290 R1	1503 C5	2511 C1	2526 D1	2545 C6	2608 D7	2624 C9	2639 B8	2665 A9	2680 A6	2695 A9	3513 C1	3530 D1	3546 E5	3561 D5	3580 D5	3595 D5	3610 D6	3625 B9	3643 B8	3658 A8	3695 E5	6508 E1	6525 B4	6606 D9	6636 B4	8603 C5	9115 C2	9130 B3	9146 D4	9163 C6	9178 D7	9194 E8	9209 D8
291 A5	1510 B1	2512 C1	2527 D1	2546 E5	2609 D7	2625 B7	2640 B8	2666 A7	2681 A6	2696 A9	3514 C1	3531 D1	3547 E5	3562 C2	3581 D5	3596 B6	3611 C7	3626 B7	3644 B7	3659 A7	3696 A4	6509 E5	6526 B4	6607 C2	6637 B4	8604 C5	9116 D2	9131 B3	9147 E5	9164 D6	9179 D7	9195 E8	9210 C8
292 A5	1511 A5	2513 C1	2528 C3	2547 B5	2610 C9	2626 C9	2641 B8	2667 A7	2682 A6	2697 A9	3515 C1	3532 D2	3548 E6	3563 C2	3582 D5	3597 B4	3612 C7	3627 B8	3645 C7	3670 D9	3697 A7	6510 C6	6527 B5	6608 C2	6638 B4	8605 C5	9117 D2	9132 D3	9148 D4	9165 D6	9180 D7	9196 E8	9211 B8
1000 D4	1512 A5	2514 C1	2530 D0	2548 B5	2611 C9	2627 B7	2642 B8	2668 A7	2683 B5	2698 A9	3516 C2	3533 E2	3549 D6	3564 C6	3583 D5	3598 B6	3613 C9	3630 C8	3646 C9	3671 D8	3698 A7	6511 C6	6528 B5	6609 C2	6639 B3	8606 C5	9118 D2	9133 E4	9149 B9	9166 D6	9181 D7	9197 D8	9212 D9
1003 C6	2500 B0	2515 D3	2531 C1	2549 B4	2612 C9	2628 C9	2643 B7	2669 A8	2684 B5	2699 A9	3517 C4	3534 D2	3550 C6	3565 C6	3584 E5	3599 B6	3614 C7	3631 B8	3647 D7	3672 D8	3699 C2	6512 C6	6529 B6	6610 C2	6640 B6	8607 C5	9119 D2	9134 B3	9150 B9	9167 D6	9182 D7	9198 D8	9213 D9
1004 A9	2501 B3	2516 C2	2532 C5	2551 E5	2613 C7	2629 B8	2644 B7	2670 A8	2685 A7	2699 A9	3518 C0	3535 D2	3551 C6	3566 C6	3585 E5	3599 B6	3615 C9	3632 B7	3648 B8	3673 D8	3699 C2	6513 C6	6530 B6	6611 C2	6641 B4	8608 C5	9120 D2	9135 C4	9151 D5	9168 D6	9183 D7	9199 D8	9214 D9
1005 C5	2502 B3	2517 C2	2533 C5	2552 E5	2614 C7	2630 B9	2645 B7	2671 A8	2686 A7	2699 A9	3519 C0	3536 D2	3552 C6	3567 C6	3586 E4	3599 B6	3616 C7	3633 B7	3649 B8	3674 D8	3699 C2	6514 C6	6531 B6	6612 C2	6642 C3	8609 C5	9121 D2	9136 A5	9152 B5	9169 D6	9184 D7	9200 D8	9215 D9
1006 D0	2503 D3	2518 C2	2534 E6	2553 C5	2615 C7	2631 B8	2646 B7	2672 A8	2687 B3	2699 A9	3520 D1	3537 D1	3553 C6	3568 C6	3587 E4	3599 B6	3617 C9	3634 B7	3650 B7	3675 B3	3699 C2	6515 D4	6532 E8	6613 C2	6643 A5	8610 C5	9122 D2	9137 A4	9153 B5	9170 B6	9185 D7	9201 D8	9216 D9
1007 E3	2504 D3	2519 D2	2536 B9	2554 C5	2616 C7	2632 B9	2647 A4	2673 A8	2688 E5	2699 A9	3521 D0	3538 D0	3554 D6	3569 C6	3588 E4	3599 B6	3618 C7	3635 B7	3651 C7	3676 C4	3699 C2	6516 D4	6533 E8	6614 C2	6644 A6	8611 C5	9123 D2	9138 D4	9154 B5	9171 D6	9186 D7	9202 D8	9217 D9
1008 A8	2505 B3	2520 C0	2539 E4	2555 C5	2617 C7	2633 B8	2648 A4	2674 A4	2689 E5	2699 A9	3522 D0	3539 D0	3555 C6	3570 D6	3589 E4	3599 B6	3619 C9	3636 B7	3652 C7	3677 C4	3699 C2	6517 E4	6534 D9	6615 C2	6645 A6	8612 C5	9124 D2	9139 D4	9155 D5	9172 C7	9187 D7	9203 D8	9218 D9
1009 A0	2506 D3	2521 D1	2540 E4	2556 C5	2618 C9	2634 B8	2649 A4	2675 A4	2690 B3	2699 A9	3523 E1	3540 C0	3556 B6	3571 D6	3590 D6	3599 B6	3620 C7	3637 B7	3653 C7	3678 A3	3699 C2	6518 D4	6535 D9	6616 C2	6646 B6	8613 C5	9125 D2	9140 A4	9156 D5	9173 D6	9188 D7	9204 D8	9219 A1
1010 B0	2507 D3	2522 D0	2541 D4	2557 C5	2619 C7	2635 B8	2650 A4	2676 A4	2691 B5	2699 A9	3524 E1	3541 C1	3557 C6	3572 D6	3591 D6	3599 B6	3621 C9	3638 B7	3654 A8	3679 C4	3699 C2	6519 D4	6536 D9	6617 C2	6647 B6	8614 C5	9126 B3	9141 A4	9157 D5	9174 D6	9190 D7	9205 D8	9220 A1
1011 C4	2508 D3	2523 D0	2542 D5	2558 C5	2620 C9	2636 B8	2651 A4	2677 A4	2692 B5	2699 A9	3525 D1	3542 C6	3558 C6	3573 E4	3592 D6	3599 B6	3622 C7	3639 B7	3655 A9	3680 D8	3699 C2	6520 C5	6537 E8	6618 C2	6648 B6	8615 C5	9127 E3	9142 B5	9158 D5	9175 D6	9191 D7	9206 D8	9221 C4
1012 A1	2509 B3	2524 D0	2543 D5	2559 C5	2621 B7	2637 B8	2652 A4	2678 A4	2693 B3	2699 A9	3526 D1	3543 C6	3559 C6	3574 E4	3593 D6	3599 B6	3623 B9	3640 B7	3656 A8	3681 D8	3699 C2	6521 E5	6538 E8	6619 C2	6649 A4	8616 C5	9128 B3	9143 B4	9159 D5	9176 D6	9192 D7	9207 D8	9222 B4
1501 C7	2510 C0	2525 D0	2544 D5	2560 E7	2622 B7	2638 B8	2653 B8	2679 A4	2694 D7	2699 A9	3527 D0	3544 C6	3560 C6	3575 E5	3594 E4	3599 B6	3624 B7	3641 A8	3657 A8	3682 D8	3699 C2	6522 E4	6539 E8	6620 C2	6650 C4	8617 C5	9129 C4	9144 C5	9160 D5	9177 D7	9193 D8	9208 B8	9223 A1




3104 113 0026.



DECODER CIRCUIT DIAGRAM






DAC CIRCUIT DIAGRAM



HEADPHONE CIRCUIT DIAGRAM



WIRING DIAGRAM




SERVO & DECODER PARTSLIST



2500	4822 126 10454	3.3nF 20% 400V
2501	4822 121 51321	8.2μF 1% 63V
2502	4822 121 51321	8.2μF 1% 63V
2503	5322 121 42661	330nF 5% 63V
2504	4822 121 43526	47nF 5% 100V
2505	4822 124 40272	33μF 20% 16V
2506	4822 121 42408	220nF 5% 63V
2507	4822 121 42408	220nF 5% 63V
2508	4822 121 43996	33nF 5% 50V
2509	4822 121 43996	33nF 5% 50V
2510	4822 121 43526	47nF 5% 100V
2511	4822 122 32863	22nF 80% 50V
2512	4822 122 31765	100pF 5% 50V
2513	4822 122 31746	1nF 5% 50V
2514	4822 121 42408	220nF 5% 63V
2515	4822 122 32863	22nF 80% 50V
2516	4822 121 43925	2.2nF 5% 50V
2517	4822 124 41596	22μF 20% 50V
2518	4822 121 51252	470nF 5% 63V
2519	4822 122 31746	1nF 5% 50V
2520	4822 122 31727	470pF 5% 63V
2521	4822 122 32442	10nF 10% 50V
2522	4822 122 31965	220pF 5% 63V
2523	5322 121 42386	100nF 5% 63V
2524	4822 124 41583	0.68μF 20% 50V Bipolar
2525	5322 121 42386	100nF 5% 63V
2526	4822 122 32542	47nF 10% 63V
2527	4822 122 32542	47nF 10% 63V
2528	4822 121 51252	470nF 5% 63V
2529	4822 121 43901	4.7nF 5% 50V
2530	5322 121 42661	330nF 5% 63V
2531	4822 122 32863	22nF 80% 50V
2532	4822 124 40433	47μF 20% 25V
2533	4822 122 32863	22nF 80% 50V
2534	4822 124 41577	4.7μF 20% 50V
2536	4822 122 32863	22nF 80% 50V for CD52, CD42
2539	4822 122 32863	22nF 80% 50V
2540	4822 122 33496	100nF 10% 63V
2541	4822 122 32863	22nF 80% 50V
2542	4822 121 51252	470nF 5% 63V
2543	4822 121 43925	2.2nF 5% 50V
2544	4822 121 43179	18nF 5% 250V
2545	4822 122 32863	22nF 80% 50V
2546	4822 122 32863	22nF 80% 50V
2547	4822 124 41334	470μF 20% 35V
2548	4822 121 51252	470nF 5% 63V
2549	4822 122 33496	100nF 10% 63V
2551	4822 124 40433	47μF 20% 25V
2552	4822 124 40433	47μF 20% 25V
2553	4822 124 40435	10μF 20% 50V
2601	4822 122 32863	22nF 80% 50V
2602	4822 124 40272	33μF 20% 16V
2603	4822 122 32863	22nF 80% 50V
2604	4822 124 40272	33μF 20% 16V



2605	4822 122 32863	22nF 80% 50V
2606	4822 124 41576	2.2μF 20% 50V
2607	4822 121 51252	470nF 5% 63V
2608	4822 122 31644	2.2nF 10% 63V
2609	4822 122 31765	100pF 5% 50V
2610	4822 122 32542	47nF 10% 63V
2611	4822 124 40433	47μF 20% 25V
2612	4822 124 40433	47μF 20% 25V for CD42, CD52
2614	4822 122 32542	47nF 10% 63V
2615	4822 124 40433	47μF 20% 25V
2616	4822 122 31772	47pF 5% 50V
2617	4822 122 31772	47pF 5% 50V
2618	4822 124 40433	47μF 20% 25V
2619	4822 124 40433	47μF 20% 25V
2620	4822 122 32542	47nF 10% 63V
2621	4822 122 32542	47nF 10% 63V
2622	4822 122 31972	39pF 5% 50V
2623	4822 122 31972	39pF 5% 50V
2624	4822 122 31972	39pF 5% 50V
2625	4822 122 31972	39pF 5% 50V
2626	4822 122 31727	470pF 5% 63V
2627	4822 122 31727	470pF 5% 63V
2628	4822 122 31727	470pF 5% 63V
2629	4822 122 31727	470pF 5% 63V
2630	4822 122 32542	47nF 10% 63V
2631	4822 122 32542	47nF 10% 63V
2632	4822 124 40435	10μF 20% 50V
2633	4822 124 40435	10μF 20% 50V
2634	4822 122 32542	47nF 10% 63V
2635	4822 122 32542	47nF 10% 63V
2636	4822 124 40433	47μF 20% 25V
2637	4822 124 40433	47μF 20% 25V
2638	4822 124 40433	47μF 20% 25V
2639	4822 124 40433	47μF 20% 25V
2640	4822 122 32542	47nF 10% 63V
2641	4822 122 32542	47nF 10% 63V
2642	4822 122 31765	100pF 5% 50V
2643	4822 122 31765	100pF 5% 50V
2651	4822 122 31765	100pF 5% 50V
2652	4822 122 31765	100pF 5% 50V
2653	4822 122 31746	1000pF 5% 63V
2654	4822 122 31746	1000pF 5% 63V
2655	4822 122 31765	100pF 5% 50V
2656	4822 122 31765	100pF 5% 50V
2657	4822 124 41525	100μF 20% 25V
2658	4822 124 41525	100μF 20% 25V
2659	4822 124 41525	100μF 20% 25V
2660	4822 124 41525	100μF 20% 25V
2665	4822 124 22339	100μF 20% 16V Bipolar
2666	4822 124 22339	100μF 20% 16V Bipolar
2667	4822 122 32542	47nF 10% 63V
2668	4822 122 33496	100nF 10% 63V
2669	4822 122 31746	1nF 5% 50V
2670	4822 122 32542	47nF 10% 63V




2671	4822 122 33496	100nF 10% 63V
2672	4822 122 32542	47nF 10% 63V
2673	4822 124 40433	47μF 20% 25V
2674	4822 122 32863	22nF 80% 50V
2675	4822 122 32863	22nF 80% 50V
2676	4822 122 32863	22nF 80% 50V
2677	4822 122 32863	22nF 80% 50V
2678	4822 124 23268	3300μF 20% 16V
2679	4822 124 41853	1000μF 20% 16V
2680	4822 124 40433	47μF 20% 25V
2681	4822 124 40433	47μF 20% 25V
2682	5322 121 42386	100nF 5% 63V
2683	5322 124 21189	100μF 20% 40V
2684	5322 124 21189	100μF 20% 40V
2685	4822 124 40433	47μF 20% 25V
2686	4822 124 40433	47μF 20% 25V
2687	4822 122 32863	22nF 80% 50V
2688	4822 124 40433	47μF 20% 25V
2689	4822 124 40433	47μF 20% 25V
2690	4822 122 32863	22nF 80% 50V
2691	4822 124 23172	470μF 20% 50V
2692	4822 124 41596	22μF 20% 50V
2693	4822 124 40433	47μF 20% 25V
2694	4822 122 31746	1nF 5% 50V
2695	4822 122 31765	100pF 5% 50V
2696	4822 122 31765	100pF 5% 50V



3007	4822 052 10478	4.7Ω 5% 0.33W Safety
3501	4822 051 10153	15kΩ 2% 0.25W
3502	4822 051 10473	47kΩ 2% 0.25W
3503	4822 051 10223	22kΩ 2% 0.25W
3504	4822 051 10224	220kΩ 2% 0.25W
3505	4822 051 10512	5.1kΩ 2% 0.25W
3506	4822 051 10224	220kΩ 2% 0.25W
3507	4822 051 20183	18kΩ 5% 0.1W
3508	4822 051 10182	1.8kΩ 2% 0.25W
3509	4822 051 10123	12kΩ 2% 0.25W
3511	4822 051 10102	1kΩ 2% 0.25W
3512	4822 051 10101	100Ω 2% 0.25W
3513	4822 051 10103	10kΩ 2% 0.25W
3514	4822 051 10123	12kΩ 2% 0.25W
3515	4822 051 10243	24kΩ 2% 0.25W
3516	4822 051 10562	5.6kΩ 2% 0.25W
3518	4822 051 10221	220Ω 2% 0.25W
3519	4822 101 10685	4.7kΩ 20% 0.05W
3520	4822 051 10101	100Ω 2% 0.25W
3521	4822 052 10189	18Ω 5% 0.33W Safety
3522	4822 052 10129	12Ω 5% 0.33W Safety
3523	4822 051 10339	33Ω 2% 0.25W
3524	4822 052 10478	4.7Ω 5% 0.33W Safety
3525	4822 051 10682	6.8kΩ 2% 0.25W
3526	4822 051 10229	22Ω 2% 0.25W
3527	4822 052 10279	27Ω 5% 0.33W Safety
3530	4822 051 10682	6.8kΩ 2% 0.25W



3532	4822 050 26804	680kΩ 1% 0.6W
3533	4822 100 11193	22kΩ 20% Potmtr. Lin.
3534	4822 050 21204	120kΩ 1% 0.6W
3535	4822 051 10154	150kΩ 2% 0.25W
3536	4822 111 91494	11kΩ 2% 0.1W
3537	4822 111 91495	160kΩ 2% 0.1W
3538	4822 051 10563	56kΩ 2% 0.25W
3539	4822 051 10472	4.7kΩ 2% 0.25W
3540	4822 051 10104	100kΩ 2% 0.25W
3541	4822 052 10228	2.2Ω 5% 0.33W Safety
3542	4822 051 10204	200kΩ 2% 0.25W
3543	4822 051 10472	4.7kΩ 2% 0.25W
3545	4822 051 10223	22kΩ 2% 0.25W
3546	4822 052 10228	2.2Ω 5% 0.33W Safety
3547	4822 052 10228	2.2Ω 5% 0.33W Safety
3548	4822 051 10102	1kΩ 2% 0.25W
3549	4822 051 10104	100kΩ 2% 0.25W
3550	4822 051 10474	470kΩ 2% 0.25W
3551	4822 051 10472	4.7kΩ 2% 0.25W
3552	4822 051 10101	100Ω 2% 0.25W
3553	4822 052 10109	10Ω 5% 0.33W Safety
3554	4822 050 21003	10kΩ 1% 0.6W
3555	4822 051 10204	200kΩ 2% 0.25W
3556	4822 052 10228	2.2Ω 5% 0.33W Safety for CD42, CD52
3557	4822 051 10223	22kΩ 2% 0.25W
3558	4822 051 10223	22kΩ 2% 0.25W
3559	4822 051 10223	22kΩ 2% 0.25W
3560	4822 051 10223	22kΩ 2% 0.25W
3561	4822 051 10223	22kΩ 2% 0.25W
3562	4822 051 10223	22kΩ 2% 0.25W
3563	4822 051 10224	220kΩ 2% 0.25W
3564	4822 051 10472	4.7kΩ 2% 0.25W
3565	4822 051 20222	2.2kΩ 5% 0.1W
3566	4822 051 10103	10kΩ 2% 0.25W
3568	4822 051 10472	4.7kΩ 2% 0.25W
3569	4822 051 10472	4.7kΩ 2% 0.25W
3570	4822 051 10223	22kΩ 2% 0.25W
3571	4822 052 10228	2.2Ω 5% 0.33W Safety
3575	4822 051 10123	12kΩ 2% 0.25W
3576	4822 051 10229	22Ω 2% 0.25W
3577	4822 051 10123	12kΩ 2% 0.25W
3578	4822 051 10123	12kΩ 2% 0.25W
3579	4822 051 10823	82kΩ 2% 0.25W
3580	4822 051 10154	150kΩ 2% 0.25W
3581	4822 051 10204	200kΩ 2% 0.25W
3582	4822 051 10562	5.6kΩ 2% 0.25W
3583	4822 051 10122	1.2kΩ 2% 0.25W
3584	4822 051 10472	4.7kΩ 2% 0.25W
3585	4822 051 10472	4.7kΩ 2% 0.25W
3586	4822 051 10333	33kΩ 2% 0.25W
3587	4822 051 10562	5.6kΩ 2% 0.25W
3588	4822 050 26804	680kΩ 1% 0.6W
3589	4822 051 10332	3.3kΩ 2% 0.25W
3590	4822 051 10913	91kΩ 2% 0.25W




3592	4822 051 10473	47kΩ 2% 0.25W
3593	4822 051 10472	4.7kΩ 2% 0.25W
3594	4822 050 10123	12kΩ 1% 0.125W
3595	4822 050 24702	4.7kΩ 1% 0.6W
3596	4822 051 10392	3.9kΩ 2% 0.25W
3597	4822 051 10472	4.7kΩ 2% 0.25W
3598	4822 051 10565	5.6MΩ 5% 0.25W
3599	4822 051 10303	30kΩ 2% 0.25W
3600	4822 051 10393	39kΩ 2% 0.25W
3601	4822 052 10228	4.7Ω 5% 0.33W Safety
3602	4822 052 10228	2.2Ω 5% 0.33W Safety
3603	4822 051 10392	3.9kΩ 2% 0.25W
3604	4822 051 10162	1.6kΩ 2% 0.25W
3605	4822 051 10105	1MΩ 5% 0.25W
3606	4822 051 10759	75Ω 2% 0.25W
3607	4822 051 10912	9.1kΩ 2% 0.25W
3608	4822 051 10223	22kΩ 2% 0.25W
3609	4822 050 22202	2.2kΩ 1% 0.6W
3610	4822 051 10223	22kΩ 2% 0.25W
3611	4822 052 10228	2.2Ω 5% 0.33W Safety
3612	4822 051 10105	1MΩ 5% 0.25W
3613	4822 052 10228	2.2Ω 5% 0.33W Safety
3614	4822 052 10228	2.2Ω 5% 0.33W Safety
3615	4822 051 10473	47kΩ 2% 0.25W
3616	4822 051 10473	47kΩ 2% 0.25W
3617	4822 051 10473	47kΩ 2% 0.25W
3618	4822 051 10473	47kΩ 2% 0.25W
3619	4822 051 10822	8.2kΩ 2% 0.25W
3620	4822 051 10822	8.2kΩ 2% 0.25W
3621	4822 051 10822	8.2kΩ 2% 0.25W
3622	4822 051 10822	8.2kΩ 2% 0.25W
3623	4822 051 10103	10kΩ 2% 0.25W
3624	4822 051 10103	10kΩ 2% 0.25W
3625	4822 052 10228	2.2Ω 5% 0.33W Safety
3626	4822 052 10228	2.2Ω 5% 0.33W Safety
3627	4822 051 10243	24kΩ 2% 0.25W
3630	4822 051 10101	100Ω 2% 0.25W
3631	4822 051 10103	10kΩ 2% 0.25W
3632	4822 051 10103	10kΩ 2% 0.25W
3633	4822 051 10562	5.6kΩ 2% 0.25W
3634	4822 051 10562	5.6kΩ 2% 0.25W
3635	4822 051 10752	7.5kΩ 2% 0.25W
3636	4822 051 10752	7.5kΩ 2% 0.25W
3637	4822 051 10562	5.6kΩ 2% 0.25W
3638	4822 051 10562	5.6kΩ 2% 0.25W
3639	4822 051 10332	3.3kΩ 2% 0.25W
3641	4822 052 10108	1Ω 5% 0.33W Safety
3642	4822 052 10108	1Ω 5% 0.33W Safety
3643	4822 052 10108	1Ω 5% 0.33W Safety
3644	4822 052 10108	1Ω 5% 0.33W Safety
3645	4822 051 10102	1kΩ 2% 0.25W
3646	4822 052 10228	2.2Ω 5% 0.33W Safety
3647	4822 051 10103	10kΩ 2% 0.25W
3649	4822 051 10103	10kΩ 2% 0.25W
3650	4822 051 10103	10kΩ 2% 0.25W









3655	4822 050 21002	1kΩ 1% 0.6W
3661	4822 051 10101	100Ω 2% 0.25W
3662	4822 051 10101	100Ω 2% 0.25W
3663	4822 051 10101	100Ω 2% 0.25W
3664	4822 051 10101	100Ω 2% 0.25W
3665	4822 051 10122	1.2kΩ 2% 0.25W
3666	4822 051 10122	1.2kΩ 2% 0.25W
3667	4822 051 10122	1.2kΩ 2% 0.25W
3668	4822 051 10122	1.2kΩ 2% 0.25W
3669	4822 051 10563	56kΩ 2% 0.25W
3670	4822 051 10103	10kΩ 2% 0.25W
3671	4822 051 10103	10kΩ 2% 0.25W
3673	4822 051 10621	620Ω 2% 0.25W
3674	4822 051 10561	560Ω 2% 0.25W
3675	4822 050 27501	750Ω 1% 0.6W
3676	4822 050 10479	47Ω 5% 0.33W Safety
3677	4822 052 10479	47Ω 5% 0.33W Safety
3678	4822 052 10108	1Ω 5% 0.33W Safety
3679	4822 052 10108	1Ω 5% 0.33W Safety
3680	4822 051 10103	10kΩ 2% 0.25W
3800	4822 051 10008	0Ω 5% 0.25W
3801	4822 051 10008	0Ω 5% 0.25W







5601	4822 157 51192	220μH
5602	4822 157 51192	220μH



6501	4822 209 73235	TDA8809T/C2
6502	4822 209 73234	TDA8808T/C3
6503	4822 209 72587	TCA0372DP2
6504	4822 130 44121	BC338
6505	4822 130 30861	BZX79-C7V5
6506	4822 130 30861	BZX79-C7V5
6507	4822 209 62667	MC68HC05D9P/ZC400005
6508	4822 130 61207	BC848
6509	5322 130 30684	1N4002
6510	4822 130 61207	BC848
6511	5322 130 42012	BC858A
6512	4822 130 30621	1N4148 for CD42, CD52
6513	4822 130 30621	1N4148
6514	4822 209 60772	X24C16 for CD42, CD52
6515	4822 209 72587	TCA0372DP2
6516	5322 130 30684	1N4002
6517	5322 130 30684	1N4002
6520	4822 209 83274	NJM4560D
6521	5322 130 42012	BC858A
6522	5322 130 42012	BC858A
6523	5322 130 30684	1N4002
6524	5322 130 30684	1N4002
6525	5322 130 30684	1N4002
6526	5322 130 30684	1N4002
6527	4822 130 31981	BZX79-C3V9
6528	4822 130 30621	1N4148
6529	4822 130 40938	BC548

   6530 5322 130 42012 BC858A 6531 4822 130 61207 BC848 6532 4822 130 31554 BZX79-C4V3 6533 4822 130 42675 BC818 6534 4822 130 30621 1N4148 6601 4822 209 61759 SAA7310GP/H5 6602 4822 209 70422 MN4264-15 6603 4822 130 42131 BF550 6604 4822 209 30264 SM5840FP 6605 5322 130 42012 BC858A 6606 4822 130 61207 BC848 6608 4822 701 11933 SAA7350 6611 5322 209 86234 NE5532N 6612 5322 209 86234 NE5532N 6615 4822 130 61207 BC848 6617 4822 130 42675 BC818 6618 4822 130 42675 BC818 6619 4822 130 42675 BC818 6620 4822 130 42675 BC818 6623 4822 209 62588 PCF3523P 6631 5322 130 30684 1N4002 6632 5322 130 30684 1N4002 6633 5322 130 30684 1N4002 6634 5322 130 30684 1N4002 6635 5322 130 30684 1N4002 6636 5322 130 30684 1N4002 6637 5322 130 30684 1N4002 6638 5322 130 30684 1N4002 6639 5322 130 30684 1N4002 6640 4822 130 34195 BZX79-C13	   6641 4822 130 31456 BZV85-C5V1 6642 5322 130 30684 1N4002 6643 4822 209 71579 TY40408 6644 5322 209 11222 MC7905CT 6645 4822 209 80808 MC7815CT 6646 5322 130 41899 MC7915CT 6647 4822 209 80808 MC7815CT 6650 5322 130 30684 1N4002 Miscellaneous 0281 4822 492 63076 Spring, clamping 0291 4822 256 30274 Holder, Fuse 0292 4822 256 30274 Holder, Fuse 1000 4822 148 80281 Transformer for Dig. Out 1003 4822 265 40722 Socket 11P 1004 4822 267 50621 Socket 7P 1005 4822 264 40207 Connector 3P 1006 4822 267 50676 Connector 14P 1007 4822 265 30913 Connector 3P 1008 4822 267 31384 Socket for CD42, CD32 1008 4822 267 31397 Socket for CD52 1009 4822 267 31383 Inlet 1010 4822 276 11309 Mains Switch 1011 4822 276 13106 Tact Switch 1501 4822 242 71349 11,2896MHz Crystal 1503 4822 242 72527 4MHz Resonator 1511 4822 070 38001 Fuse 800mA 1512 4822 070 38001 Fuse 800mA 5001 4822 146 31004 Mains Transformer
--	--


HEADPHONE PANEL PARTSLIST

 2005 4822 121 43925 2.2nF 5% 50V  3681 4822 050 10101 100Ω 2% 0.25W 3682 4822 050 10101 100Ω 2% 0.25W 3683 4822 050 21501 150Ω 1% 0.6W 3684 4822 050 21501 150Ω 1% 0.6W 3685 4822 050 10122 1.2kΩ 2% 0.25W 3686 4822 050 10122 1.2kΩ 2% 0.25W 3687 4822 050 21002 1kΩ 1% 0.6W 3688 4822 050 21002 1kΩ 1% 0.6W 3689 4822 050 21002 1kΩ 1% 0.6W 3690 4822 050 21002 1kΩ 1% 0.6W 3691 4822 102 10433 10kΩ Potm. Twin for CD52	  7651 4822 209 83274 NJM4560D 7652 4822 130 44121 BC338 7653 4822 130 44121 BC338 Miscellaneous 1012 4822 267 50621 Socket 7P 1651 4822 267 31065 Headphone Socket
--	--

CONTROL & DISPLAY PANEL PARTSLIST



2001	4822 124 41596	22μF 20% 50V
2002	4822 121 43867	22nF 5% 50V
2003	4822 122 10172	220pF 10% 50V
2004	4822 124 41596	22μF 20% 50V for CD52, CD42



3001	4822 050 24702	4.7kΩ 1% 0.6W
3002	4822 050 21504	150kΩ 1% 0.6W
3003	4822 050 24702	4.7kΩ 1% 0.6W
3004	4822 050 21002	1kΩ 1% 0.6W
3005	4822 050 21002	1kΩ 1% 0.6W
3006	4822 050 24703	47kΩ 1% 0.6W
3008	4822 050 24702	4.7kΩ 1% 0.6W
3009	4822 050 22203	22kΩ 1% 0.6W
3010	4822 050 22203	22kΩ 1% 0.6W
3011	4822 050 22203	22kΩ 1% 0.6W
3012	4822 050 24703	47kΩ 1% 0.6W for CD52, CD42



6001	4822 130 34281	BZX79-C15
6002	4822 130 30621	1N4148
6003	4822 130 30621	1N4148
6004	4822 130 30621	1N4148 for CD52, CD42
6005	4822 130 30621	1N4148
6006	4822 130 30621	1N4148 for CD52, CD42
6007	4822 130 30621	1N4148
6008	4822 130 34233	BZX79-B5V1
6009	4822 130 34233	BZX79-B5V1
7001	4822 130 40938	BC548
7002	4822 209 72226	U3090

Miscellaneous

0250	4822 156 91796	Holder
1013	4822 265 40722	Socket 11P
1020	4822 276 13114	Tact Switch for CD52
1021	4822 276 13114	Tact Switch for CD52
1023	4822 276 13114	Tact Switch for CD52, CD42
1025	4822 276 13114	Tact Switch for CD52
1026	4822 276 13114	Tact Switch for CD52, CD42
1027	4822 276 13114	Tact Switch
1028	4822 276 13114	Tact Switch for CD52
1029	4822 276 13114	Tact Switch for CD52
1030	4822 276 13114	Tact Switch for CD52
1031	4822 276 13114	Tact Switch for CD52
1032	4822 276 13114	Tact Switch for CD52
1033	4822 276 13114	Tact Switch for CD52
1034	4822 276 13114	Tact Switch for CD52
1035	4822 276 13114	Tact Switch for CD52
1036	4822 276 13114	Tact Switch
1037	4822 276 13114	Tact Switch
1038	4822 276 13114	Tact Switch
1039	4822 276 13114	Tact Switch
1040	4822 276 13114	Tact Switch
1044	4822 276 13114	Tact Switch
1045	4822 276 13114	Tact Switch
1046	4822 276 13114	Tact Switch for CD52
1047	4822 276 13114	Tact Switch for CD52
1048	4822 276 13114	Tact Switch for CD52
1049	4822 276 13114	Tact Switch for CD52
1050	4822 276 13114	Tact Switch for CD52
1051	4822 276 13114	Tact Switch for CD52
1052	4822 276 13114	Tact Switch for CD52
1060	4822 214 51772	IR Receiver GP1U521X for CD52, CD42
1061	4822 130 90661	Display 6-MT-147GK